



4-3. Coal and Wood Burning Stove Report

Type of stove

- Built-in fireplace
- Free standing fireplace
- Space heating stove
- Central furnace
- Auxiliary furnace (describe)
- Cook stove
- Barrel stove (made from oil drum)
- Homemade stove (describe)

Name of manufacturer:

Age:

Appliance is used in/on: Basement 1st Floor 2nd Floor

Type of chimney: Masonry with liner Masonry without liner (do not bind coverage)

Double wall insulated metal Triple wall metal

Single wall metal (do not bind coverage)

Condition of chimney: Poor Fair Good Excellent

Total number of heat appliances such as furnace, water heater, fireplace, or another stove connected to the same chimney:

If more than one, does the chimney have separate flues? Yes No

Is there a smoke detector in the same room as the stove? Yes No

Are there other smoke detectors in the house? Yes No

How often are chimney and stove pipes checked for Creosote build-up?

Stove installed by: Owner* Contractor (name):

Has local building inspector or fire department inspected installation? Yes No

***FOLLOWING MUST BE COMPLETED ONLY IF UNIT IS INSTALLED BY OWNER**

What is floor protection? Asbestos mill board covered with metal metal stone or brick other:

What is wall protection? Asbestos mill board covered with metal metal stone or brick other:

Is there at least a 1 inch air space between wall protective shield and wall? Yes No

Is there at least a 1 inch air space between bottom of shield to floor? Yes No

Stovepipe information: Diameter:

Length:

of elbows:

Does it pass through floors, walls or ceilings? Yes No


If yes, is a ventilated thimble being used? Yes No

Size of thimble:

Is there a heat saver (if yes, do not bind coverage)? Yes No

Unit Clearances:

- 1. Side of unit to nearest wall inches
- 2. Rear of unit to wall inches
- 3. Top of stove pipe to ceiling inches
- 4. Bottom of unit to floor inches
- 5. Front of unit to front edge of floor protection inches



Remarks: